

## Batch Release Certificate

**Product name:** Dextran T1.5**Specification No.:** 40034**Batch No.:** ABxxx

**Manufacturing sites:** Pharmacosmos A/S, Roervangsvej 30, DK-4300 Holbaek, Denmark  
**DKMA\* No.:** 254629  
**GMP certificate No.:** N/A  
**FDA establishment No.:** N/A  
**FDA facility classification:** N/A  
**EDQM\* certificate No.:** N/A

Method:	Parameter:	Results of analysis:	Limits:
–	Description:	Complies	White powder
LI030-1	Average molecular mass, Mw:	xx,100	1,200 – 1,800
DF001	Loss on drying (105°C, 5h), % w/w:	x	≤7
DF030	Color of solution (Absorbance at 375 nm, 10% sol., 1 cm):	x.xx	≤0.05
DF005	Acidity or Alkalinity:	Complies	Complies
DF009	Specific rotation (+/-) °:	+x	+155 – +182
DF019	Nitrogen containing impurities, ppm N:	x	≤100

\*) EDQM refers to 'European Directorate for the Quality of Medicines and Healthcare'. DKMA refers to 'Danish Medicines Agency'  
 We hereby confirm that no class 1, class 2 and class 3 solvent, cf. ICH Q3C and VICH GL 18, is used in the manufacturing of this product.  
 We hereby confirm that no metal catalysts or metal reagents are used in the manufacturing of this product.

I hereby certify that the above information is authentic and accurate. This batch of technical quality dextran has been manufactured, including packaging and quality control in full compliance with the above mentioned specifications.

Date (dd.mm.yyyy):

Heidi Skjødt Andersen, M.Sc. Pharm., Quality Control