Valid from: HSA/LC 18-04-2018 Replaces: HSA/LC 24-02-2017

Batch Release Certificate

Product name: Dextran 25 Pharmaceutical Quality

Specification No.: 40071

Batch No.: XXXXXX Manufacturing date: mmmm V

Manufacturing date: mmmm_yyyy
Retest date (5 years): mmmm_yyyy

Manufacturing sites: Pharmacosmos A/S, Roervangsvej 30, DK-4300 Holbaek, Denmark

DKMA* No.: 25462

GMP certificate No.: DK API-H 00083617, DK API-V 00083617

FDA establishment No.: FEI 3002807874
FDA facility classification: Acceptable

EDQM* certificate No.: Certificates for Dextran 1, 40, 60 & 70 Ph.Eur. available

Method:	Parameter:	Results of analysis:		Limits:	_
EP	Appearance of solution:	Complies		Clear and colorless	
EP	Acidity or Alkalinity:	Complies		Complies	
EP	Specific rotation, (+/-) °:	+x		+191 – +201	
LI030-1	Average molecular mass, Mw:	x,xxx		22,500 - 27,500	
EP	Nitrogen containing substances, ppm	x		≤110	
EP	Residual solvent % by GC:	Complies	**	Complies	
EP	Loss on drying (105°C, 5h), % w/w:	x.x		≤7.0	
EP	Sulphated ash, % w/w:	x.x		≤0.3	
EP	Bacterial endotoxins, IU/g:	Complies		<25	
EP	Microbial contamination, cfu/g:	Complies		≤100	

References to official monographs are to be considered as current editions.

We hereby confirm that no class 1, class 2 and class 3 solvent, cf. EP 5.4 and USP <467> Residual solvents, is used in the manufacturing of this product.

We hereby confirm that no metal catalysts or metal reagents are used in the manufacturing of this product. Elemental impurities, cf. ICH Q3D are unlikely to be present.

CERTIFICATE OF CONFORMITY

I hereby certify that the above information is authentic and accurate. This batch of Active Pharmaceutical Ingredient has been manufactured, including packaging and quality control at the above mentioned site in full compliance with the GMP requirements for active starting materials and with the above mentioned specifications. The batch processing, packaging and analysis records were reviewed and found to be in compliance with GMP.

Date (dd.mm.yyyy):	
	Qualified Person, Heidi Skiødt Andersen, M.Sc. Pharm

PHARMACOSMOS A/S ROERVANGSVEJ 30 DK-4300 HOLBAEK DENMARK TELEPHONE: +45 59 48 59 59
TELEFAX: +45 59 48 59 60
E-MAIL: info@pharmacosmos.com
WEB-SITE: www.pharmacosmos.com

^{*)} EDQM refers to 'European Directorate for the Quality of Medicines and Healthcare'. DKMA refers to 'Danish Medicines Agency'

^{**)} Test for Residual solvents is not carried out according to approval from EDQM.