Valid from: HSA/LC 18-04-2018 Replaces: HSA/LC 24-02-2017

Batch Release Certificate

Specification No.: 40097

Batch No.: XXXXXX Manufacturing date: mmmm_yyyy
Retest date (5 years): mmmm_yyyy

Manufacturing sites: Pharmacosmos A/S, Roervangsvej 30, DK-4300 Holbaek, Denmark

DKMA* No.: 25462

GMP certificate No.: DK API-H 00083617, DK API-V 00083617

FDA establishment No.: FEI 3002807874
FDA facility classification: Acceptable

EDQM* certificate No.: Certificates for Dextran 1, 40, 60 & 70 Ph.Eur. available

Method:	Parameter:	Results of analysis:	_	Limits:
EP EP	Appearance of solution: Acidity or Alkalinity:	Complies Complies		Complies Complies
EP	Specific rotation, (+/-) °:	+x		+195 – +201
LI030-1	Average molecular mass, Mw:	x,xxx		130,000 – 170,000
EP	Nitrogen containing substances, ppm	x		≤110
EP	Residual solvent % by GC:	Complies	**	Complies
EP	Loss on drying (105°C, 5h), % w/w:	X.X		≤7.0
EP	Sulphated ash, % w/w:	X.X		≤0.3
EP	Bacterial endotoxins, IU/g:	Complies		<25
EP	Microbial contamination, cfu/g:	Complies		≤100

References to official monographs are to be considered as current editions.

Test is not carried out. No class 1, class 2 and class 3 solvent, cf. EP 5.4 Residual solvents, is used in the manufacturing of this product.

We hereby confirm that no metal catalysts or metal reagents are used in the manufacturing of this product. Elemental impurities, cf. ICH Q3D are unlikely to be present.

CERTIFICATE OF CONFORMITY

I hereby certify that the above information is authentic and accurate. This batch of Active Pharmaceutical Ingredient has been manufactured, including packaging and quality control at the above mentioned site in full compliance with the GMP requirements for active starting materials and with the above mentioned specifications. The batch processing, packaging and analysis records were reviewed and found to be in compliance with GMP.

Date (dd.mm.yyyy):	
	Qualified Person, Heidi Skjødt Andersen, M.Sc. Pharm

^{*)} EDQM refers to 'European Directorate for the Quality of Medicines and Healthcare'. DKMA refers to 'Danish Medicines Agency'

^{**)} Test for Residual solvents is not carried out according to approval from EDQM.