

## Batch Release Certificate

**Product name:** Dextran 70 EP/USP

**Specification No.:** 40006

**Batch No.:** xxxxxx

**Manufacturing date:** mmmm\_yyyy

**Retest date (5 years):** mmmm\_yyyy

**Manufacturing sites:** Pharmacosmos A/S, Roervangsvej 30, DK-4300 Holbaek, Denmark

**DKMA\* No.:** 254629

**GMP certificate No.:** DK API-H 00083617, DK API-V 00083617

**FDA establishment No.:** FEI 3002807874

**FDA facility classification:** Acceptable

**EDQM\* certificate No.:** R1-CEP 1999-065-Rev 02

Method:	Parameter:	Results of analysis:	Limits:
EP	Appearance of powder:	Complies	White or almost white powder
USP	Infrared Absorption:	Complies	*** Absorption maxima corresponds with Dextran 70 RS
USP	Color of solution (Absorbance at 375 nm, 6% sol., 4 cm):	Complies	≤0.15
EP	Appearance of solution:	Complies	Complies
USP	pH (6% solution):	x.x	4.5 – 7.0
EP	Acidity or Alkalinity:	Complies	Complies
EP	Specific rotation, (+/-) °:	+x	+195 – +201
USP	Specific rotation, (+/-) °:	+x	+195 – +203
EP	Average molecular mass, Mw:	x,xxx	64,000 – 76,000
EP	Mw of 10% high fraction:	x,xxx	≤185,000
EP	Mw of 10% low fraction:	x,xxx	≥15,000
USP	Mn:	x,xxx	34,000 – 48,000
USP	Mw/Mn:	x.x	1.4 – 1.9
USP	Viscosity, intrinsic, ml/g:	x	24 – 29
USP	Nitrogen containing impurities, ppm N:	x	≤100
USP	Alcohol and related impurities:	Complies	*** Complies
EP	Residual solvent, % by GC:	Complies	** Complies
USP	Sulfate, % w/w:	Complies	≤0.03
EP	Sulphated ash, % w/w:	x.x	≤0.3
EP	Loss on drying (105°C, 5h), % w/w:	x.x	≤7.0
USP	Loss on drying (105°C, 5h), % w/w:	x.x	≤7.0
USP	Bacterial endotoxins (6% sol.) EU/ml:	Complies	≤0.5
USP	Antigenic impurities:	Complies	*** Complies
EP	Total viable aerobic count (TAMC),	Complies	≤100
USP	Safety:	Complies	Complies

References to official monographs are to be considered as current editions.

We hereby confirm that no metal catalysts or metal reagents are used in the manufacturing of this product. Elemental impurities, cf. ICH Q3D are unlikely to be present.

\*) EDQM refers to 'European Directorate for the Quality of Medicines and Healthcare'. DKMA refers to 'Danish Medicines Agency'

\*\*\*) Test is not carried out according to approval from EDQM. No class 1, class 2 and class 3 solvent, cf. EP 5.4. Residual solvent, is used in the manufacturing of this product.

\*\*\*\*) Test is not carried out routinely.

#### CERTIFICATE OF CONFORMITY

I hereby certify that the above information is authentic and accurate. This batch of Active Pharmaceutical Ingredient has been manufactured, including packaging and quality control at the above mentioned site in full compliance with the GMP requirements for active starting materials and with the above mentioned specifications. The batch processing, packaging and analysis records were reviewed and found to be in compliance with GMP.

Date (dd.mm.yyyy):

Qualified Person, Heidi Skjødt Andersen, M.Sc. Pharm