

## Batch Release Certificate

Product name: Dextran T500

Specification No.: 40030

Batch No.: ABxxx

Manufacturing sites: Pharmacosmos A/S, Roervangsvej 30, DK-4300 Holbaek, Denmark  
DKMA\* No.: 254629  
GMP certificate No.: N/A  
FDA establishment No.: N/A  
FDA facility classification: N/A  
EDQM\* certificate No.: N/A

Method:	Parameter:	Results of analysis:	Limits:
Visual	Description:	Complies	White or almost white powder
DF046	Average molecular mass, Mw (laser):	xx,000	450,000 – 550,000
DF001	Loss on drying (105°C, 5h), % w/w:	x	≤7
DF030	Color of solution (Absorbance at 375 nm, 10% sol., 1 cm):	x.xx	≤0.05
DF009	Specific rotation (+/-) °:	+x	+195 – +201
DF019	Nitrogen containing impurities, ppm N:	x	≤100

\*) EDQM refers to 'European Directorate for the Quality of Medicines and Healthcare'. DKMA refers to 'Danish Medicines Agency'

\*\*) Due to the hygroscopic nature of the powder, loss on drying may change during storage. We recommend keeping small container well closed and protected against moisture.

We confirm that no solvents are used in the production of this product.

This certificate of analysis is applicable for supplies of code No. 5510 0500 90xx where xx is varying with pack size.

We confirm that no metal catalysts or metal reagents are used in the manufacturing of this product.

I hereby certify that the above information is authentic and accurate. This batch of technical quality dextran has been manufactured, including packaging and quality control in full compliance with the above mentioned specifications.

Date (dd.mm.yyyy):

Heidi Skjødt Andersen, M.Sc. Pharm., Quality Control